Picture	Code	Name	Demension Length x Width x Height x Length of filaments mm			aterial +Filaments	Filsments Hardness	Can be cleane d at ° C	Description	
Color cod	de (Behind	the article No.):	+0	+1	+2	+3	+4 +5	+6	+7 +8 +9	
1, Hand	Brush	Every kind of brushes	can be r	made by	resin s	et				
	0300		190x30	0x9x50					Used to apply egg white, cream	
	0500	Pastry Brush	190x50	0x9x50	PP+	Polyester	Very Soft	100°C	or hot chocolate to the pastry, or to clean small areas of small	
	0700		190×70	0x9x50			3010		powder occasions	
	1310	David Hand Divid	Ф120x115x50		PP+Polyester		Stiff	121°C	Cleaning table etc.	
	1311	Round Hand Brush	Ψ120x	Ψ120X113X00		Polyester	Soft	121 0	Oleaning table etc.	
	1100	Nail Brush	120x55x40x20		DD.	D - ht	Stiff	101°C	Clean the hands or small pieces of goods or fish processing in th	
THE PARTY OF THE P	1110	ivali Brush	120x33	X4UXZU	PPT	Polyester	Soft	121 0	removal of fish film and so on	
-	1210	Hand Scub Brush	165×50	v55v28	DD+	Polyester	Stiff	121°C	Multi-purpose hand brush, the shape of the same two brushes,	
William In 1974	1211	Hand Ocub Brush	100,00	X33X20		Olyestel	Soft		the size of a large and a small, fo	
	1410		200×60	v55v25			Stiff		cleaning the table, baskets, baking pan and various parts,	
141	1411	Hand Scub Brush	200x00	XJJXJJ	PP+	Polyester	Soft	121℃	etc. 1412 with very hard	
A SANSON OF THE PARTY OF THE PA	1412		200x60	x55x40			Very Hard		filaments can remove very hard	
ALL THE STATE OF T	1510	Total model in Decide	105 55	0000	DD : 1	Dahart	Stiff	121°C	Multi-purpose hand brush with	
A THINING	1511	Integral grip Brush	185x55	XXUX3U	22+	Polyester	C (1	1210	integral giip can give brush mor	

Soft

force to remove the dirt.

1511

					1		Multi-purpose brush with narrow
	2100	Small Brush			Stiff		head, can be used to clean other
	0.1.1				0.6	40400	cleaning tools
	2111	Fish Brush	270x25x60x35	PP+Polyester	Soft	121°C	Remove fish scales, 2112 with
Managhill	2112	Fish Brush	1		Very		very hard filaments can remove
		TISH DIUSH			Hard		fish scales
	2210	Dish Brush	270x22x40x25	PP+Polyester	Stiff	121°C	Use to cleaning tableware
	2211	Disir Diusir	270022040020	11 '1 Olycatel	Soft	1210	ess to croaming tablemare
	2220	All purpose Brush	270x35x40x25	PP+Polyester	Stiff	121°C	Multi-purpose brush with small
	2221	All purpose brush	270x33x40x23	PF Folyester	Soft	121 0	head
	2310				Stiff		
	2311	Short Hand Brush	245x70x50x35	PP+Polyester	Soft	121°C	
	2312				Soft split		Fau alagning table haskata
	2320	Llavad Dvavala (Middla)	200 70 50 25		Stiff	10100	For cleaning table, baskets,
essential Control	2321	Hand Brush (Middle)	360x70x50x35	DD D L	Soft	121°C	containers, machines,
100	2330	Lance Hand Doord	400 70 50 05	PP+Polyester	Stiff	10100	equipment, 2312 with soft
Manyanii	2331	Long Hand Brush	490x70x50x35		Soft	121°C	split filaments can absorb
	2610				Stiff		more water
	2611	Long Hand Brush	400x40x55x40	PP+Polyester	Medium	121°C	
THE PARTY OF THE P	2612	_			Soft split		
							Large angled design
	2630				Stiff		
		Hand December	320x110x68x50	DD+Dalvasta:		12100	bristles, covering large,
		riaria Brasii	320X110X00X30	PP+Polyester	Soft split		
	2631						filaments can absorb more
							water

	2640 2641	Boots Brush	400x70x50x35	PP+Polyester	Stiff Soft	121°C	water fed hand brush for cleaning boots
	2510 2511	Particles Brush	295x35x75x50	PP+Polyester	Medium Soft	121℃	Sweep flour, milk powder,
	2520 2521	Fine Particles Brush		PP+Polyester	Medium Soft	121℃	seasoning and other powder
	2620	Hand Guarded Brush	500x12x70x40	PP+Polyester	Stiff		With a hand care design, used for
	2621	nand Guarded Brush		FFIFOlyester	Soft		cleaning a blade and other dangerous occasions
	2710		005.45.105.75		Medium	121°C	Sweep flour, milk powder,
ATTIVITY OF THE PARTY OF THE PA	2720	Fine Particles Brush	285x45x105x75	DD I D - h 4	Soft	121 6	seasoning and other powder,
	2711	Fine Particles Brush	225.45.105.75	PP+Polyester	Medium	121°C	brush by the resin set, so that the risk of filaments loss to a
AAAAAAAAAA	2721		335x45x105x75		Soft	121 C	minimum

2, Floor E	Brush &	Broom Every kind	of brushes can	be made by resir	n set			
	5010				Stiff		Stiff, for cleaning floor,	
7777777			270x55x95x35	PP+Polyester		121°C	water fed	alle Je
amminimum.	5011		27000000000	i i diyodda	Soft	12.0	Soft, for cleaning wall,	handle
	0011				0010		water fed	
	5020		200.75.105.45		Stiff	121°C		with
	5021	Deck Scrub	300x75x105x45	DD I D - h t	Medium	121 6		eq
	5022		200-70-115-60	PP+Polyester	Soft	121°C	For cleaning floor and	sn þ
	5023		300x70x115x60		Soft split	121 6	wall	thread
	5030		4707011545	DD I Dalva eta v	Stiff	121°C		-
	5031		470x70x115x45	PP+Polyester	Soft	121 6		dard

5040				Stiff			stan
5041	Floor/Wall comer brush	290x140x135x50	PP+Polyester	Soft	121°C	the wall, especially for the corner and equipment feet	have
5105	Floor Broom	300×20×130×70	PP+Polyester	Soft	121°C	For cleaning small dust and granules with short rod (8105), one hand sweep, and can be us	
5106	Tiodi Broom	350x20x130x70				with vertical dustpan (5800 or 5801)	
5110	Floor Broom	235×35×260×150	PP+Polyester	Stiff	121°C	Used to remove large pieces of heavier debris	
5111	Lobby Broom	240×25×140×75	PP+Polyester	Soft	121°C	Used to sweep small dust or particles	
5210		300x70x160x100	PP+Polyester	Stiff	121°C	Used to sweep large pieces of heavier debris	handle
5220	Strong Broom	470x69x177x80	PP+Polyester	Stiff	121°C	Used to sweep large pieces	d with
5221		7703093177300	PP+Polyester	Stiff	121°C	of garbage,5221 is resin set	ad use

5310	Strong Broom			Medium		Sweep small dust or particles	d thre	
5311	Strong Broom	430x55x125x60	PP+Polyester	Stiff/Soft	121°C	Sweep small and large mixed debris		
5312	Soft Broom			Soft split		Sweep small dust or particles on the dry floor	e e	
5410	Strong Broom	000 00 105 00		Medium	10100	Sweep small dust or particles		
5411	Strong Broom	630x60x125x60	PP+Polyester	Stiff/Soft	121℃	Sweep small and large mixed debris		
5800	Duotnon Sot	250x300x870	PP+ Alu.		Is the combination of 7040 + 8106 or 7050 + 8106, used to collect fine dust or particles from the			
5801	Dustpan Set	325x350x870	PP+ Alu.	0 %		floor, can be used with the lightnoom 5105+8105 or 5106+8	ght	
5810	Dua and Duada an Cat	250x300x1000	PP+Polyester+Alu	Soft	121°C	Is the combination of 5105 + 8105 + 7040 + 8106 or 5106 + 8105 + 7050 + 8106, used to sweep dry		
5811	Broom+Dustpan Set	325x350x1000				dust or particles and collect them into the dustpan, the b can be held in the dustpan s	room	

3, Tube	e & Tan	k Brush					
	3010		190 x Φ12		Or:tt	121°C	
THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUMN T	3020		190 x <i>Φ2</i> 0		Stiff	121 0	use to cleaning inside of
	3030	Tubo Dwydd Hodd	190 x <i>Φ30</i>	Stainless Steel			long pipe, must be installed
	3040	Tube Brush Head 0	190 x <i>Φ40</i>	+Polyester	M a aliaa	121℃	on the flexible handles
	3050		190 x <i>Φ50</i>		Medium	121 0	(3000,3001,3002) to use
	3060		190 x <i>Φ6</i> 0				
	3110		500 x Φ10	-		tiff	
	3115		500 x Φ15		Stiff		
	3120		500 x Φ20				
Annual An	3130		500 x Φ30	PP+Stainless			Tube brush and bottle
7744444	3140	Tube Brush	500 x Φ40	Steel +Polyester		121°C	brush
	3150		500 x Φ50		Medium		
	3160		500 x Φ60				
	31-D		$500 \times \mathcal{P}D$ (base on needs)		depends on needs		

	3250 3260 3270 3280		140 x ϕ 50 150 x ϕ 60 155 x ϕ 70 155 x ϕ 80				for 1/2" pipe for 2" pipe for 21/2" pipe for 2 1/2" pipe	inside of	
	3290 32100 32110 32135	Pipe Brush Head	$160 \times \Phi 90$ $155 \times \Phi 100$ $140 \times \Phi 110$ $150 \times \Phi 135$	PP+Polyester	Stiff	121°C	for3"pipe	diameter can be used to cleaning the pot or tank, have	
	32160 32210 32-D		$155 \times \Phi 160$ $160 \times \Phi 210$ $170 \times \Phi D$ depends on needs				for6"pipe for8"pipe for≤10"pipe	standard thread used with handle	
	3600	Brush for Meat Mincer	480 x Ф 90	PP+Aluminium +Polyester	Stiff	121°C	use to cleani	ing mincer	
	3700	Tauli husah	210x150x110x55		Stiff	121°C			
	3710	Tank brush	210x130x110x33	PP+Polyester	Soft	121°C	the pot and t standard threa	•	
77.	3800	Brush for cleaning	450×220×120×30		Stiff		Used to clea	_	
All Andrews	3810	outsite of pipe	40082208120830	PP+Stainless	Soft	121℃	outside of the standard threa		

3820 Drain hole brush 285x	5x27 Stiff	used to cleaning drain hole
----------------------------	------------	--------------------------------

4, Milking Set

2311-M	Milking Set	Milk bucket Brush	240×70×50×40	PP+Polyester	Soft	121°C	Cleaning milk bucket
3160-M		Pipe Brush	500 x Ф60	PP+Stainless Steel +Polyester	Stiff	121°C	
3600-M		Multi purpose pipe Brush	500 x Ф40-70			121°C	Cleaning milk pipe
3610-M		Breast pump Brush	500 x 105 x Ф60			121°C	Cleaning breast pump

5, Pad,S	craper,	Dustpan,Scoop,Mixer					
	4200	Dishcloth	400×400×3	Microfiber	121°C		to wipe tableware, er, table, etc., super
	42018					Hard	Pad, with the pad
	42023	Pad	245×125×23	Nylon	121℃	Medium	holder (4210 or 4211)
	42035					Soft	together use

	4210	Pad Holder hand model	230×95×80	PP+Stainless Steel	121°C	For fixed pad, for cleaning table, wall etc.
	4211	Pad Holder floor model	230x95x120	PP+Stainless Steel	121°C	For fixed pad, for cleaning floor, wall etc. have standard thread used with handle
	4010	Hand Saranar	245×90×60	PP+Stainless Steel	121°C	
	4011	Hand Scraper	295×105×80	PP+Nylon	121°C	Remove solid dirt from the table and walls
	4020	Hand Scraper	295×105×35	PP+Stainless Steel	121°C	4020 and 4021 with inner screw can be used with ny handel
manan	4021	riand Scrapei	2000100000	PP+Nylon	121°C	
	4012		210x105x12	PP+Metal powder		
	4022	Hamil Camana	210x105x12	PP	121°C	Remove solid dirt from the table
	4013	Hand Scraper	010 75 10	PP+Metal powder	121 C	and walls. 4012 and 4013 are metal detectable
	4023		210x75x12	PP		metal detectable
	4014		168×112×4	PP+Metal powder	121 °C	Hand for anyone were some fillings
	4015	Flexible scraper	200x112x4	PP i Metal powder	121 C	Used for scraper, remove fillings, etc.,4014 and 4015 are metal
	4024	i iczibic sciapci	168x112x4	PP	121°C	detectable
	4025		200x112x4		1210	do to o tablo
	4110	Daddla Carranar Dlada	01511020	PP		Used for mixing, scrape and
	4111 Paddle Scraper Blade		215x110x30	PP+TPE		removing materials from the

		4112			PP]	container, 4110 and 4111 have
	4113			PP+TPE	121°C	standard thread used with handle, 4111 and 4113 have rubber soft	
		4114	Flexible curved scraper	168×112×4	PP+Metal powder		edges, 4114 is metal detectable
		4310	Chart Missar	900×145×33	PP	100° C	
		4311	Short Mixer	900x 140x33	Nylon	170° C	

	4313 4314 4315	Long	Without Holes With Holes With Holes and metal detectable	1200×170×33	PP	100° C	Used to mixing, 4314, 4315, 4317 and 4318 have holes for reduce the resistance during
	4316 4317	Mixe r	Without Holes With Holes With Holes and		Nylon	170° C	agitation. 4315 and 4318 are metal detectable
	4318		metal detectable			10100	
	7010 7020		Dustpan	325x295x50 430x150x100 (2L)	PP PP	121°C	Used to shovel the powder material or ice etc.
	7020		Hand Shovel	350x120x75 (1L)		121°C	
	7022			300x85x65 (0.5L)			
1	7040		Dustpan	365x300x70	PP	121°C	
	7050		Бизсрап	430x340x100	1*1	121 0	
	7110		Scoop	360x190x130 (2L)	PP	121°C	Uses to move liquid, inside have
	7111		Осоор	340x170x90 (1L)		1210	scale to display volume

6, Bucket & Shovel

	7410 7420	Bucket		ucket	260×260×265 6L 300×300×340 12L	PP	121°C	Used to storage and transtort liquids, inside has scale to display volume, can be used with lid(7411,7421,7431); triangular
	7430				325x180x87 20L			design is easy to carry, dump; can be piled up to save space; can be hanged upside down to keep it dry
	7411				250x260x10 6L			Used with buckets for it seal,
	7421	Li	Lid for Bucket		290x310x10 12L	PP	121°C	upside have positioning groove, easy to pile up
	7431							oucy to pilo ap
P	7210	al		Big head, .short	380x340x90, 1150	-		The overall injection molding(one piece design), durable, can be
	7211		la	Big head, long	380×340×90, 1350			
	7212	;	Normal	Small head, short	270x340x75, 1150		121°C	directly in contact with food, handle and shovel head plane is
	7213			Small head, long	270x340x75, 1350			parallel, suitable for shovel material from the ground.

7220			Big head, .short	380x340x90, 1150			The overall injection molding(one
7221	Sho	Jt.	Big head, long	380×340×90, 1350	PP		piece design), durable, can be
7222		Strainght	Small head, short	270×340×75, 1150			directly in contact with food, handle and shovel head plane is
7223		00	Small head, long	270x340x75, 1350		121°C	parallel, suitable for shovel material from a trolley or table.
7230		w	ith round holes				Shovel above, just with holes,
7231		W	vith long holes	One of the above			can drain the water in the materials

7, Squeegee & Scraper

6010 6011	Hand Squeegee with replaceable Sponge	Fixed <u>Neck</u> Revolving Neck		PP+EPDM	121°C	The hand squeegee is particularly suited for removal of water from table surfaces,the replacement is 61009.
6020	Ultra Hygiene S Blade Scraper	Single	250×225×40	PP+TPE		The hand squeegee with overall injection molding(one piece design) is particularly suited for removal of water and other material from table surfaces.
6021	Rubber squeegee for glass		350×175×40	PP+Rubber +Stainless Steel		For cleaning glass with inner screw can be used with all handles
6030 6031	Single Blade Scraper with replacement cassette	Fixed Neck Revolving Neck	250x225x40	PP+TPE	121°C	The hand squeegee is particularly suited for removal of water and other material from table surfaces, the replacement are 6300.

6040	Hand Double Blade Scraper with	Fixed Neck	250x225x40	PP+TPE	The hand squeegee is particularly su for removal of water and other materi	al
6041	replacement cassette	Revolving Neck			from table surfaces, the replacement of 6400.	are

6111	Squeegee with replaceable Sponge (Fixed Neck)	300x115x55	PP+EPDM	121°C	The squeegees with different sizes are particularly suited for removal of water from ground, have standard thread used with handle, the replacement are 6101 (for 6111) 6102 (for 6112) 6103 (for 6113) 6104 (for 6114) 6105 (for 6115).
6112		400x115x55			
6113		500x115x55			
6114		600x115x55			
6115		700x115x55			

7, Squeegee & Scraper

7, 344	6211 6212 6213	Состарет	300x115x55 400x115x55 500x115x55			The squeegees with different sizes are particularly suited for removal of water from ground, have standard
	6214	Squeegee with replaceable Sponge (Revolving Neck)	600x115x55 700x115x55	PP+EPDM	121°C	thread used with handle, with revolving neck, more efficiency for small space, the replacement are 6101(for 6211) 6102 (for 6212) 6103 (for 6213) 6104 (for 6214) 6105 (for 6215).
	6711 6712 6713 6714	Ultra Hygiene Single Blade Scraper	300x130x40 400x115x55 500x115x55 600x115x55 700x115x55	PP+TPE	121°C	The squeegees with overall injection molding(one piece design) with different sizes are particularly suited for removal of water and other materials from ground, have standard thread used with handle.

	6311 6312 6313 6314	Single Blade Scraper with replacement cassette (Fixed Neck)	300×130×40 400×115×55 500×115×55 600×115×55 700×115×55	PP+TPE	121°C	The squeegees with different sizes and single rubber blade are particularly suited for removal of water and other materials from ground, have standard thread used with handle, the replacement are 6301 (for 6311) 6302 (for 6312) 6303 (for 6313) 6304 (for 6314) 6305 (for 6315).
	6911 6912 6913	Single Blade Scraper with replacement cassette (Revolving Neck)	300x130x40 400x115x55 500x115x55	PP+TPE	121°C	The squeegees with different sizes and single rubber blade are particularly suited for removal of water and other materials from ground, have standard thread used with handle, with revolving neck,
	6914 6915		600x115x55 700x115x55			more efficiency for small space, the replacement are 6301(for 6911) 6302 (for 6912) 6303 (for 6913) 6304 (for 6914) 6305 (for 6915)

	1	1		-	_	
	6411		300x130x40			The squeegees with different sizes
	6412		400x115x55			and double rubber blades are particularly suited for removal of
The state of the s	6413	Double Blad Scraper	500x115x55	PP+TPE	121°C	water and other materials from ground,have standard thread used
	6414	(Fixed Neck)	600x115x55			with handle, the replacement are 6401 (for 6411) 6402 (for 6412)
	6415	-	700×115×55			6403 (for 6413) 6404 (for 6414) 6405 (for 6415) .
	6811	Double Blad Scraper (Revolving Neck)	300×130×40		121°C	and double rubber blades are particularly suited for removal of water and other materials from
	6812		400x115x55	PP+TPE		
	6813		500x115x55			ground,have standard thread used with handle,with revolving neck,more efficiency for small
	6814		600x115x55			space, the replacement are 6401 (for 6811)
	6815		700x115x55			6403 (for 6813) 6404 (for 6814)
	6611	Condensation	250x115x55	DD+EDDM		Scrap and collect the condensate from the ceiling or pipe, and drain
	6614	squeegee	600x115x55	PP+EPDM	100°C	the condensate through the water
	6601	Condensate water bottle	500ml	PP		fed handle into the water bottle(6601)

	61009 61019 61029 61039 61049	Replacement of Sponge for Squeegee(black)	250×25×42 300×25×42 400×25×42 500×25×42 600×25×42	PP+EPDM	100°C	Replacement of Sponge for Squeegees 6010 and 6011(6100),6111 and 6211(6101),6112 and 6212(6102),6113 and 6213(6103),6114 and 6214(6104),6115 and 6215(6105). The white sponges are currently not deliverable
--	---	--	---	---------	-------	--

6300 6301 6302 6303 6304 6105	Replacement of Single Rubber Blade for Single Blade Squeegee	250×25×42 300×25×42 400×25×42 500×25×42 600×25×42 700×25×42	PP+TPE	121°C	Replacement of single rubber blades for squeegees 6030 and 6031(6300),6311 and 6911(6301),6312 and 6912(6302),6313 and 6913(6303),6314 and 6914(6304),6315 and 6915(6305).
6400 6401 6402 6403 6404	Replacement of Rubber Double Blade for Double Blade Squeegee	250×25×42 300×25×42 400×25×42 500×25×42 600×25×42 700×25×42	PP+TPE	121°C	Replacement of double rubber blades for squeegees 6040 and 6041(6400),6411 and 6811(6401),6412 and 6812(6402),6413 and 6813(6403),6414 and 6814(6404),6415 and 6815(6405).
6510 6511	Floor Scraper	280×206×33 280×238×33	PP+Stainless Steel PP	121°C	Used to remove stubborn dirt and other debris from the ground, have standard thread used with handle

8, Handle

	3000 3001 3002 3003 3004	Flexible Rod	Stainless Steel Rod Nylon Rod Extension Stainless Steel Rod Stainless	1500 x Φ 8 750 x Φ 8	Stainless Steel Nylon Stainless Steel	121°C	Flexible rod used with tube brush head(30xx) for cleaning inside of long pipe
- interestable	8000	Small Handle		165 x Φ 32	PP	121°C	Small handle for pipe brush head(32xx), paddle scraper blades(4110 and 4111),hand squeegees(6010,6011,6020,6030,6 031,6040 and 6041) and all products requiring a handle.

	8105 8106 8107	Short Handle	650 x Ф 24 750 x Ф 24 850 x Ф 28		121°C	Ergonomic designed short handle with a comfortable grip, rounded to and hanger, used with brooms(510 and 5106),tube brush heads(32xx) paddle scraper blades(4110 and	
	8110	Ergonomic Handle	1000 x Ф 28	PP+Aluminium	121°C	4111) and all products requiring a handle.	
	8111	Extension Handle	1000 x Φ32		121°C	Extension handle, one side conected the product, the other side conected the normal handle.	
	8112		1300 x Φ32		121°C	Strong and ergonomic designed handle with a comfortable grip, rounded top and hanger, used for all products requiring a handle. This telescopic handle can be easily adjusted to the required	
	8113	Ergonomic alu.Handle	1500 x Φ32	PP+Aluminium			
	8114		1700 x Φ32				
	8130	Telescopic alu. Handle	1250−1900 x <i>Ф</i> 32	PP+Aluminium	121°C		
	8131	Tologopio ala. Hallalo	1600-2950 x Φ 35		12. 0	length making it suitable for cleaning walls and canopies.	
	8132		1600−5000 x Ø 35	50% Carbon		This telescopic handle can be	

8133	Telescopic alu. Handle	1800-7000 x <i>Φ35</i>	Fiber+50% Glass Fiber+PP	121°C	easily adjusted to the required length making it suitable for cleaning walls and canopies.		
8134		1900-10000x <i>Φ45</i>	+Aluminium				
8137		1000 x Φ28		121°C			
8138	Water fed handle	1300 x <i>Ф</i> 32			Water fed handle,used with 5010,5011,6611 and 6614		
8139		1500 x Φ32					
8140		1700 x <i>Ф</i> 32	PP+Aluminium				
8141	Telescopic alu. Handle	1250−1900x <i>Ф</i> 32			This Telescopic water fed handle can be easily adjusted to the required length making it suitable for cleaning walls and		
8142	Waterfed	1600-2950 x Ф35			canopies,used with 5010,5011,6611 and 6614.		
8212	Ergonomic Handle	1000 x Ф 32	PP+Stainless	121°C	304 stainless steel handle, more		
8213	Ligonomic Handle	1500 x Φ 32	Steel		stronger,be resistant to caustic/acid		
8312		1300 x Ø 32		121°C	Glass Fiber handle, light,be resistant to caustic/acid		
8313	Ergonomic Handle	1500 x Φ 32	PP+Glass Fiber	121°C			
8314		1700 x Ø 32		121°C			

9, Wall Bracket

2 2 2 2 2	9010	W II D		820×75×65	PP+TPE +Aluminium	121°C	Hook 6 pcs.rubber clip 4 pcs.	and keep them dry, there are hooks(for hang tools including buckets) and rubber clips(for clip handles) to select, the
	9011	Hook, Rub	ket Set with ber clip & End Cap	500×75×65		121°C	Hook 4 pcs. rubber clip 2 pcs.	
	9012		Оар	260×75×65		121°C	Hook 2 pcs. rubber clip 1 pcs.	
	9001	Hook		80x70x35	PP	121°C		same size on the aluminium bady, so thair combination can exactly for individual needs:hook or clip; on the aluminium body there is surface for stick product
	9002	Clip		110x75x35	PP			
	9003	Rubber Clip		80x75x35	PP+TPE			
	9004	End Cap for Wall Brecket Set		65x14x12	PP		identification and use	identification and use guide,there are 2 end
	9015		Single Hook	50x60x65		121°C		
	9014	Wall Brecket	4 Hooks	356×60×65	Stainless Steel	121°C	121°C Made from 304	om 304 stainless steel
	9013		6 Hooks	460×60×65		121°C		



